

# **bizhub** C4001i Colour A4 printer









## **CUSTOMER BENEFITS**



## **Intuitive operability** Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity
Print anytime from anywhere
with Konica Minolta's innovative mobile technologies




**Services**Efficient printer fleet management, including automatic con-sumables delivery, pro-active maintenance and remote setup



#### Sustainability

Numerous eco features reduce energy consumption and costs

## **OPTIONS**











#### **LEGEND** Mandatory option Option This option can only be installed with the respective option above it

## **FINISHING FUNCTIONALITIES**





Duplex

Stapling (offline)

## **DESCRIPTION**

| CONNECTIVITY                                    |  |
|---|--|
| UK-221 Wireless LAN                             | Wireless LAN and wireless LAN Access Point Mode                                    |
| EK-P08 USB I/F kit                              | USB keyboard connection  |
| EK-P09 USB I/F kit                              | USB keyboard connection; Bluetooth   |
| EK-P10 NFC I/F kit                              | To connect with Android mobile devices   |
| EK-P11 I/F cable for CSRC modem                 | Mobile network modem connection for CSRC   |
| ID card reader                                  | Various ID card technologies   |
| MK-P08 Mount kit                                | Installation kit for ID card reader  |
| OTHERS KP-P03 10-Key pad                        | For use instead of touchscreen   |
| KH-P02 Keyboard holder                          | To place USB keyboard  |
|   |  |
| MEDIA INPUT                                     |  |
|   |  |
| PF-P27 Paper tray                               | 500 sheets, A4, 60-90 g/m <sup>2</sup>   |
| PF-P27 Paper tray PF-P22 Height adjustment unit | 500 sheets, A4, 60-90 g/m <sup>2</sup> To achieve comfortable height for operation |

| MEDIA INPUT             |  |
|-------------------------|--|
| DK-P04 Copier desk      | Provides storage space for print media and other materials |
|                         |  |
| MEDIA OUTPUT            |  |
| FS-P04 Off-line stapler | 20-sheet off-line stapling                                 |
|                         |  |

## **TECHNICAL SPECIFICATIONS**

#### SYSTEM SPECIFICATIONS

| System speed A4              | Up to 40/40 ppm (mono/colour)                               |
|------------------------------|---|
| Autoduplex speed A4          | Up to 40/40 ppm (mono/colour)                               |
| 1st page out time A4         | 8.0/8.7 sec. (mono/colour)                                  |
| Warm-up time                 | Approx. 13/15 sec. (mono/colour) <sup>1</sup>               |
| Imaging technology           | Laser   |
| Toner technology             | Simitri® V polymerised toner                                |
| Panel size/resolution        | 7" / 800 x 480  |
| System memory                | 4 GB (standard/max)   |
| System storage               | 8 GB (standard)   |
| Interface                    | 10/100/1,000-Base-T Ethernet; USB 2.0;                      |
|                              | Wi-Fi 802.11 b/g/n/ac (optional)                            |
| Network protocols            | TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour |
| Printable paper size         | A6-A4; customized paper sizes                               |
| Printable paper weight       | 60-210 g/m <sup>2</sup>                                     |
| Paper input capacity         | 600 sheets / 1,600 sheets (standard/max)                    |
| Paper tray input (standard)  | 1x 500; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>        |
| Paper tray input (optional)  | 1x 500 sheets; A4; 60-210 g/m <sup>2</sup>                  |
|                              | 1x 500 sheets; A4; 60-210 g/m <sup>2</sup>                  |
| Manual bypass                | Up to 100 sheets; A6-A4; custom sizes; 60-210 g/m²          |
| Finishing modes (optional)   | Group; Sort; Staple (offline)                               |
| Automatic duplexing          | A4; 60-210 g/m <sup>2</sup>                                 |
| Output capacity              | Up to 250 sheets  |
| Power consumption            | 220-240 V / 50/60 Hz; Less than 1.45 kW                     |
| System dimension (W x D x H) | 420 x 528 x 473 mm (without options)                        |
| System weight                | Approx. 33.2 kg (without options)                           |
|                              |   |

## PRINTER SPECIFICATIONS

| Print resolution          | 1,800 (equivalent) x 600 dpi; Up to 1200 x 1200 dpi  |
|---------------------------|--|
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

#### PRINTER SPECIFICATIONS

Software

| Operating systems | Windows 10 (32/64); Windows 11; Windows Server 2012;           |
|-------------------|--|
|                   | Windows Server 2012 R2; Windows Server 2016;                   |
|                   | Windows Server 2019; Windows Server 2022;                      |
|                   | macOS 10.14 or later; Unix; Linux; Citrix                      |
| Printer fonts     | 80 PCL Latin; 137 PostScript 3 Emulation Latin;                |
| Mobile printing   | AirPrint (iOS); Mopria (Android);                              |
|                   | Konica Minolta Mobile Print (iOS/Android)                      |
|                   | optional: WiFi Direct  |
|                   |  |
| SYSTEM FEATURES   |  |
| Security          | IP filtering and port blocking;                                |
|                   | SSL3 and TLS1.1/1.2/1.3 network communication; IPsec support;  |
|                   | IEEE 802.1x support; User authentication; Kerberos;            |
|                   | Print user data encryption                                     |
| Accounting        | Up to 100 user accounts; Active Directory support (user name + |
|                   | password + e-mail + smb folder)                                |
|                   | ID card authentication (ID card reader);                       |
|                   | Authentication by mobile device (Android/iOS)                  |
|                   |  |

Log Management Utility

Net Care Device Manager; Data Administrator; Box Operator; Web Connection; Print Status Notifier; Driver Packaging Utility;

- $^{\rm 1}$  Warm-up time may vary depending on the operating environment and usage
- $^{\rm 2}$  If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
  particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing
  variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

  - Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
   All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



## **Konica Minolta Business Solutions Australia**

Free Call 1800 789 389 www.konicaminolta.com.au











