



**bizhub** 5020i **bizhub** 4020i **bizhub** 5000i **bizhub** 4000i

A4 Monochrome



## **USER BENEFITS**

A machine that knows you. Intuitive design and simple operation.

### Easy to use, intuitive control panel



The large colour LCD touch panel is easy to operate even for first-time users. An intuitive interface and smartphone-like operability helps you get to the functions you need quickly, with no fuss.





bizhub 5020i 4.84-inch touch panel

hizhub 4020i 3.7-inch touch panel

### **Small footprint**




Whether you are adding to your existing office network or looking for a single workhorse, having a machine small enough to place on a desktop or any convenient surface is a huge benefit.





### **Keep it simple**






### **Wireless connectivity**



Fed up with cables and wires getting in the way and restricting where you can place your printer in the office? All models are equipped to operate wirelessly, with no need for LAN wiring. Place your machine wherever is convenient, and print from anywhere inside your office via your Wi-Fi network.

### **Keep your documents** secure with ID Print




equipped with an ID card reader (NFC) on the operation panel, enabling ID Print. Documents will only print once a user has identified themselves at the machine, helping to ensure your documents don't end up in the wrong hands.

### **Get started faster**



Get to work in 27 seconds or less. All models have an outstanding warm-up time, helping you to get on with what matters.

Warm-up time\* comparison between previous model and bizhub 5020i



<sup>\* 23°</sup>C, at rated voltage

### **COMPACT DESIGN PACKED WITH INNOVATION**



### **bizhub** 5020i

High-speed printing, scanning and all-round performance in a compact package. This multi-function printer is packed with useful features that make it ideal as a standalone or part of a larger office network.



### **bizhub** 4020i

Combining the functionality of a multifunction printer with the convenience of a desktop machine. Intuitive design and plenty of functions to cover whatever printing or scanning needs come your way.

# **COPY & PRINT**

A range of useful functions available at your fingertips.

### **Reliable high-speed printing**



Print up to 50 pages per minute with the 5020i and 5000i models and 40 pages per minute with the 4020i and 4000i models. Outstanding durability and low maintenance needs are combined with great quality and high speed, so you can keep printing all day long.

# Add paper storage capacity up to 1,610 sheets



Add to the standard paper capacity with additional paper tray units to build the machine that best suits your working environment. Boost your bizhub by up to 1,400 sheets with the PF-P24 and PF-P23 optional units.

The 4020i model can accommodate up to 1,340 sheets maximum.

### **Copy with clarity**



Copy quality has been significantly improved over previous bizhub models. Scan up to 1,200 dpi using the Document Glass to achieve detailed replication when copying and scanning.

#### **Print from USB**



Data stored on a USB memory device can be printed directly from your bizhub using the USB port on the front panel. Print from a variety of formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.





## SIMPLE, FUNCTIONAL & DURABLE



### bizhub 5000i

Print up to 50 pages per minute in high-quality black and white. Speed is combined with endurance in this compact printer, which can go the distance with best-in-class durability.



### bizhub 4000i

A compact, low energy machine that is ideal for expanding your office network. Perfect for your wireless and mobile printing needs.



### Scan up to 24 pages per minute




Scanning is made easy with the high-speed, high-capacity automatic document feeder, which can scan double sided documents in full colour at a rate of up to 20 pages per minute, and in black and white up to 24 pages per minute. What's more, you can scan up to 80 sheets at once with the 5020i model, and process a wide range of paper types.

### **Paperless sharing**



Scan documents to a range of formats and share them in the way that's best for you.



### Scan to an editable document 5020i 4020i 5000i 4000i



If you have our ControlCenter 4 software installed, you can use your MFP to scan to OCR (Optical Character Recognition). With Scan to OCR, you can convert scanned documents into editable text with your bizhub. Once scanned, the text can be entered into a word processing application and edited. You can also create searchable PDFs.



### **High security Super G3 fax**



The 5020i and 4020i models are equipped with high-speed Super G3 faxing, ensuring you are well equipped for any situation. If your bizhub receives a new fax when out of



paper, the fax is saved securely until paper is available. What's more, with Secure Transmission, you can confirm your faxes are transmitted without error with the use of VoIP. All-round performance in a compact machine.

### **MOBILE & CLOUD**

Access your bizhub via your mobile device for a seamless work life.


#### **Konica Minolta Mobile Print**



Print and scan with your smartphone or tablet. The Konica Minolta Mobile Print app is fast, secure and convenient. Use your bizhub directly from Android and Apple devices via your office Wi-Fi or by tapping your device on the NFC reader.\*

\*Only available for Android devices equipped with an NFC antenna. NFC reader is equipped on bizhub 5020i and 5000i models only.

For iPhone and iPad, download Konica Minolta Mobile Print from the App Store. For Android devices, download Konica Minolta Mobile Print from Google Play.



### **Multiple mobile print services**



You can also connect with Mopria Print Service for Android devices without a print driver.



# **SECURITY**

Keep your office environment secure and keep your documents private.

### **Secure Print**



When Secure Print is enabled, a password is required at the machine itself before the print job will start. This prevents confidential documents from lying around the office or being accessed by unauthorised users.

### **Function lock**



This setting requires each user to have a password and allows the administrator to enable or disable functions for different users, preventing unauthorised users from gaining access. You can also set the maximum volume of printing each user is allowed to do via the machine, helping you stay in control of paper waste.

## **ENVIRONMENT**

Look after our global environment and your office space.

## Easily balance your consumption



With a wealth of economy measures, you can balance quality and ecological performance as you need. Toner Economy Mode reduces the amount of toner used without sacrificing legibility, helping to save on toner usage. Deep Sleep Mode consumes less power than conventional Sleep Mode, and the printer will still reactivate as soon as new print data is received. The LCD panels on the 5020i model and 4020i model are also auto-dimming, saving energy when the machine is not in use.

### **Energy-saving design**



Designed to consume as little energy as possible, enjoy printing with far below typical energy consumption.

### **CUSTOMER BENEFITS**




Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Services Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

### **OPTIONS**



Maximum of 2x additional Paper Trays can be added



### **FINISHING FUNCTIONALITIES**



### **DESCRIPTIONS**

#### MEDIA INPUT

| PF-P23 Paper tray | 250 sheets; A5–A4; 60–120 g/m²             |  |
|-------------------|--|--|
| PF-P24 Paper tray | 520 sheets; A5-A4; 60-120 g/m <sup>2</sup> |  |

### **TECHNICAL SPECIFICATIONS**

| SYSTEM SPECIFICATIONS               | bizhub 5020i  | bizhub 4020i                            |
|-------------------------------------|---|---|
| Panel size/resolution               | 4.85"   | 3.7"                                    |
| System memory (standard/max)        | 1 GB  | 256 MB                                  |
| Interface                           | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n   |   |
| Network protocols                   | TCP/IP (IPv4/IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)           |   |
| Automatic Document Feeder           | Up to 80 originals; A6-A4;                                  | Up to 50 originals; A6–A4;              |
|                                     | 64-90 g/m²; Dualscan ADF                                    | $64-90 \text{ g/m}^2$ ; ADF             |
| Paper input capacity (standard/max) | 570 sheets / 1,610 sheets                                   | 300 sheets / 1,340 sheets               |
| Paper Tray 1                        | 1x 520 sheets; A6-A4;                                       | 1x 250 sheets; A6-A4;                   |
|                                     | $60-120 \text{ g/m}^2$                                      | 60-120 g/m <sup>2</sup>                 |
| opt. Paper Tray 1 - Total           | 1x 250 sheets; A5-A4; 60-120 g,                             | /m² (up to 2x)                          |
| opt. Paper Tray 2 - Total           | 1x 520 sheets; A5–A4; 60–120 g/m² (up to 2x)                |   |
| Manual bypass                       | 50 sheets; A6–A4; custom sizes; 60–200 g/m²                 |   |
| Automatic duplexing                 | A4; 60-105 g/m <sup>2</sup>                                 |   |
| Output Capacity (standard)          | 250   | 150                                     |
| Power consumption                   | 220-240 V / 50/60 Hz;                                       | 220-240 V / 50/60 Hz;                   |
|                                     | Less than 805 W   | Less than 645 W                         |
| System dimension (W x D x H)        | 495 x 427 x 518 mm  | 435 x 427 x 486 mm                      |
| (without options)                   |   |   |
| System weight (without options)     | Approx. 18.9 kg   | Approx. 16.8 kg                         |
| PRINTER SPECIFICATIONS              |   |   |
| Print resolution                    | 1,200 x 1,200 dpi   |   |
| Page description language           | PCL 6 (XL3.0); PostScript 3; XPS                            |   |
| Operating Systems                   | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); |   |
| operating dystems                   | Windows Server 2008 (32/64); V                              |   |
|                                     | Windows Server 2012; Windows                                | •                                       |
|                                     | Windows Server 2016; Windows                                | •                                       |
|                                     | Macintosh OS X 10.10 or later; L                            | •                                       |
| Printer fonts                       | 85 PCL Latin; 66 PostScript 3 Emulation Latin               |   |
| Mobile Printing                     | *   |   |
|                                     | Konica Minolta Mobile Print (iO                             | S/Android):                             |
|                                     | WiFi Direct   | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
|                                     | WILL DIECE  |   |

| SCANNER SPECIFICATIONS             | bizhub 5020i                             | bizhub 4020i                 |
|------------------------------------|--|------------------------------|
| Scan speed - simplex               | Up to 50/20 ipm in simplex               | Up to 24/20 ipm in simplex   |
| Scan speed - duplex                | Up to 100/34 ipm in duplex               | -                            |
| Scan resolution                    | 1,200 x 1,200 dpi                        |                              |
| Scan modes                         | Scan-to-eMail (Scan-to-Me); Sc           | can-to-FTP;                  |
|                                    | Scan-to-USB; TWAIN scan; WIA             | scan                         |
| File formats                       | JPEG; TIFF; PDF; XPS; PDF/A              |                              |
| Scan destinations                  | LDAP support                             |                              |
| COPIER SPECIFICATIONS              |  |                              |
| Imaging technology                 | Laser                                    |                              |
| Toner technology                   | Polymerized Toner                        |                              |
| Copy/print speed A4 (mono/colour)  | Up to 50 ppm                             | Up to 40 ppm                 |
| Autoduplex Speed A4 (mono/colour)  | Up to 24 ppm                             | Up to 20 ppm                 |
| 1st copy out time A4 (mono/colour) | 9.5 sec.                                 | 9.2 sec.                     |
| Warm-up time                       | Approx. 27 sec.                          |                              |
| Copy resolution                    | 600 x 600 dpi                            |                              |
| Gradation                          | 256 gradations                           |                              |
| Multicopy                          | 1-999                                    |                              |
| Original format                    | A6-A4                                    |                              |
| Magnification                      | 25-400% in 1% steps; Auto-               |                              |
|                                    | zooming                                  |                              |
| FAX SPECIFICATIONS                 |  |                              |
| Fax standard                       | Super G3                                 |                              |
| Fax transmission                   | Analogue; i-Fax                          |                              |
| Fax compression                    | MH; MR; MMR; JBIG                        |                              |
| Fax modem                          | Up to 33.6 Kbps                          |                              |
| Fax destinations                   | 299 destinations + 20 groups             |                              |
| SYSTEM FEATURES                    |  |                              |
| Security Functions - Standard      | SSL2; SSL3 and TLS1.0/1.1/1.2            | network communication;       |
|                                    | IPsec support; IEEE 802.1x sup           | port; Secure print; Kerberos |
| Accounting Functions - standard    | Active Directory support                 | <u> </u>                     |
| •                                  | (user name + password + e-ma             | il + smb folder)             |
| Accounting Functions - optional    | ID card authentication                   | -                            |
| (bizhub 5020i only)                | (ID card reader)                         |                              |
| Software                           | Net Care Device Manager; Web Connection; |                              |

**Driver Packaging Utility** 

### **CUSTOMER BENEFITS**




Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Services Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

### **OPTIONS**





### **FINISHING FUNCTIONALITIES**



### **DESCRIPTIONS**

MEDIA INPUT

| PF-P23 Paper tray | 250 sheets; A5–A4; 60–120 g/m <sup>2</sup> |  |
|-------------------|--|--|
| PF-P24 Paper tray | 520 sheets; A5–A4; 60–120 g/m <sup>2</sup> |  |

### **TECHNICAL SPECIFICATIONS**

| SYSTEM SPECIFICATIONS               | bizhub 5000i  | bizhub 4000i                    |
|-------------------------------------|---|---------------------------------|
| Panel size/resolution               | 1.8"  | 1 line LCD                      |
| System memory (standard/max)        | 512 MB  | 256 MB                          |
| Interface                           | 10/100/1,000-Base-T Ethern                          | et; USB 2.0; Wi-Fi 802.11 b/g/n |
| Network protocols                   | TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S) |                                 |
| Paper input capacity (standard/max) | 570 sheets / 1,610 sheets (standard/max)            |                                 |
| Paper Tray 1                        | 1x 520 sheets; A6–A4; 60–120 g/m²                   |                                 |
| opt. Paper Tray 1 - Total           | 1x 250 sheets; A5–A4; 60–120 g/m² (up to 3x)        |                                 |
| opt. Paper Tray 2 - Total           | 1x 520 sheets; A5–A4; 60–120 g/m² (up to 2x)        |                                 |
| Manual bypass                       | 50 sheets; A6–A4; custom sizes; 60–200 g/m²         |                                 |
| Automatic duplexing                 | A4; 60-105 g/m <sup>2</sup>                         |                                 |
| Output Capacity (standard)          | 250   | 150                             |
| Power consumption                   | 220-240 V / 50/60 Hz;                               | 220-240 V / 50/60 Hz;           |
|                                     | Less than 770 W                                     | Less than 640 W                 |
| System dimension (W x D x H)        | 400 x 396 x 288 mm                                  | 373 x 388 x 287 mm              |
| (without options)                   | (without options)                                   | (without options)               |
| System weight (without options)     | Approx 13.2 kg                                      | Approx 12.4 kg                  |

| PRINTER SPECIFICATIONS              | bizhub 5000i  | bizhub 4000i            |
|-------------------------------------|---|-------------------------|
| Imaging technology                  | Laser   |                         |
| Toner technology                    | Polymerized Toner   |                         |
| Print resolution                    | 1,200 x 1,200 dpi   |                         |
| Print Speed A4 (mono/colour)        | Up to 50 ppm  | Up to 40 ppm            |
| 1st print out time A4 (mono/colour) | 7.5 sec.  | 7.2 sec.                |
| Warm-up time                        | Approx. 25 sec.   |                         |
| Page description language           | PCL 6 (XL3.0); PostScript 3; XPS                            |                         |
| Operating Systems                   | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); |                         |
|                                     | Windows Server 2008 (32/64);                                | Windows Server 2008 R2; |
|                                     | Windows Server 2012; Window                                 | s Server 2012 R2;       |
|                                     | Windows Server 2016; Window                                 | s Server 2019;          |
|                                     | Macintosh OS X 10.10 or later; I                            | inux                    |
| Printer fonts                       | 85 PCL Latin; 66 PostScript 3 Emulation Latin               |                         |
| Mobile Printing                     | Mopria (Android);   |                         |
|                                     | Konica Minolta Mobile Print (iO                             | S/Android);             |
|                                     | WiFi Direct   |                         |
|                                     |   |                         |

### SYSTEM FEATURES

| Security Functions - Standard   | SSL2; SSL3 and TLS1.0/1.1/1.2 network communication;       |
|---------------------------------|--|
|                                 | IPsec support; IEEE 802.1x support; Secure print; Kerberos |
| Accounting Functions - standard | Active Directory support                                   |
|                                 | (user name + password + e-mail + smb folder)               |
| Accounting Functions - optional | ID card authentication –                                   |
| (bizhub 5000i only)             | (ID card reader)   |
| Software                        | Net Care Device Manager; Web Connection;                   |
|                                 | Driver Packaging Utility                                   |







### **NEW SOUTH WALES**

Konica Minolta House 4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

### **ACT**

Level 2, Suite 2.03 42 Macquarie Street Barton, ACT 2600 (02) 6206 6500

### **QUEENSLAND**

Level 9, 100 Skyring Terrace Newstead QLD 4006 (07) 3872 9100

### **SOUTH AUSTRALIA**

Level 8, 182 Victoria Square Adelaide, SA, 5000 (08) 8231 2911

### **VICTORIA**

Suite 501, 441 St Kilda Road Melbourne VIC 3004 (03) 8699 0777

### **WESTERN AUSTRALIA**

66 Kings Park Road West Perth WA 6005 08 6380 3700

Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au