

bizhub i-SERIES

IS AT THE HEART OF YOUR BUSINESS RETHINK IT





A3 2021 BLI Line Of The Year



2021-2023 BLI A3 Colour Consistency

TOMORROW'S WORKPLACE TODAY

INTRODUCING AWARD WINNING bizhub i-SERIES FROM KONICA MINOLTA



A3 2021 BLI Line Of The Year



2021-2023 BLI A3 Colour Consistency

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work. Our devices stand out for reliability, quality and usability.

The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitised and the volume of data increases, centralised management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

bizhub i-Series is the solution

- With simple operability and highquality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.









i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

Key benefits

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

Intelligent simplicity

With a large touchscreen operation panel, smartphone style user interface and a display that users can customise with apps from Konica Minolta Marketplace, i-Series is intelligently simple.

Next generation security

The next generation bizhub i-Series comes with the highest security standards built in.

With our bizhub SECURE services*, we tailor the security settings to your needs, so your data is fully protected. And with integrated anti-virus software*, it ensures no virus can harm your business.

*bizhub SECURE services and anti-virus software available at additional charge.



"Konica Minolta has skilfully crafted an A3 portfolio that is extremely reliable and easy to use, from top to bottom"

Keypoint Intelligence

Designed for people

The stylish bizhub i-Series looks at home in today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users, especially those in a wheelchair.

Putting users first

The i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve and users can customise their screen in the same way as their mobile device.

In the card-type Quick Copy screen, all main setting options are directly visible without scrolling or searching. Users can apply their desired settings with fewer clicks and pop-ups, making operation faster and more productive. You can also customise your personal home screen by simply adding or removing function icons. Widgets are supported as well, similar to Widgets on Android-based smartphones. This facilitates embedded functionality delivered by Apps into the home screen.









The waiting is over

To boost workflow and cut out waiting time, the i-Series is our fastest ever range. In fact, thanks to its brand new Quad Core Central Processing Unit, it's four times quicker than our previous bizhub series.

The new controller integrates all processes and distributes tasks more effectively within the Central Processing Unit. As a result, the user experience is smoother and quicker and there is no waiting time while operating i-Series.

With the new Intelligent Media Sensor*, paper weight detection is automatic, and the correct settings are applied every time. Enhancing user convenience, this avoids media setting mistakes and minimises paper jams.

(*Intelligent Media Sensor is standard on bizhub C750i/C650i/C550i/C450i; optional on bizhub C360i/C300i/C250i)



i-SERIES IS UNLIMITED POSSIBILITIES

RETHINK IT

ENHANCED EFFICIENCY AND PRODUCTIVITY


To extend the workflow capabilities of the bizhub i-Series, and boost flexibility within your office, we developed Dispatcher Phoenix.

To maximise productivity, i-Series eliminates repetitive tasks, cuts costs and reduces manual and human errors.

Dispatcher Phoenix

Our advanced process automation solution, streamlines the handling of all document-processing tasks. This simplifies daily office routines to boost efficiency thanks to predefined workflow templates and customisable scan workflows.

It also facilitates the easy distribution of documents by scanning to SharePoint and Dropbox or to popular systems like Box, Google Drive, Microsoft OneDrive, and OneDrive for Business.



MAKE TIME FOR YOUR CORE BUSINESS

Now you can make your business devices more powerful by simply adding new capabilities. Konica Minolta MarketPlace gives you the freedom to personalise your bizhub in the same way as your smartphone. The available apps bridge unproductive gaps between work processes to give you more time to focus on core tasks.

Key benefits

- Add and remove functions from the panel to match your bizhub with your workstyle
- Streamline your daily office routines
- Boost team productivity

Streamline office routines

Browse the Konica Minolta MarketPlace for new applications that serve your business needs. Then simply add them to all your devices – however large your fleet.

Updates are also deployed directly to your devices without cost-intensive maintenance. And as these apps run directly on your devices, you don't need to invest in additional infrastructure.

Konica Minolta's bizhub multi-functional devices provide a broad range of capabilities that serve all your needs. To minimise the time spent using your bizhub, simply change the control panel to meet your preferences. And because the user operation of any model is completely customisable, there's no need for special training.



au.konicaminoltamarketplace.com

WINNER OF 7 BLI AWARDS



A3 2021 BLI Line Of The Year




2021-2023 BLI A3 Colour Consistency



ALWAYS SAFE. ALWAYS IN CONTROL.

Having complete protection against virus threats gives you the peace of mind to focus on other tasks. So to protect your data, the optional BitDefender anti-virus engine automatically scans all transmitted and received data – in real time. You can also run on-demand or scheduled scanning of your data, to make sure you stay protected.



- Data inside the MFD is checked manually or scheduled
- Optional BitDefender scans transmitted and received data to protect the i-Series

At Konica Minolta, we know that protecting your data is key to your business. That's why our bizhub multifunctional devices embed the highest level of security to protect your data.



TOTAL CARE BY BIZHUB SECURE

With bizhub SECURE services, we've made sure your business is fully protected by providing security tailored to your needs. Continuous security gives you one less thing to worry about. And because our team configures everything for you, you'll save time too.

Safe and SECURE

- bizhub SECURE protects the data inside the memory of your i-Series
- BitDefender anti-virus engine defends you from the threat of viruses

i-SERIES IS SMARTER RETHINK IT


REDUCED DOWNTIME. ALL THE TIME.

Features this advanced don't come from merely improving technology. To make bizhub i-Series work with everything you do, we set out to rethink everything we do.

Konica Minolta Worldwide Remote Service Platform provides a trouble-free experience and minimum downtime.

To ensure continuous and full use, i-Series intelligently collects data for self-diagnostic and remote maintenance and even predicts the optimum replacement time for parts and consumables.

It also uploads the latest firmware, in real or scheduled time. So users know they're always working with up-to-date technology.



1 Data collected for part/consumable replacement predictions

CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Security Secure network integration, data encryption, SSD overwrite and advanced user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



Productivity Reliability, high-speed scanning and printing, combined with powerful finishing functions



Services Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

FINISHING FUNCTIONALITIES



stapling



stapling



punching





punching



Duplex



Combined

mixplex/ mixmedia

Half-fold















Banner printing



Z-fold

Stapling (offline)



Cover sheet &

Insert sheet

Cover

sheet

Insert

sheet









Finishing Functionalities









Standard functions





Standard functions

		0 00 2 - 42	0 00 2 42	0 00 25 -823	0 00 2 02	~ = -
	C750i/C650i	✓	✓	✓	✓	_
Compatible	C550i / C450i	✓	✓	✓	✓	√
Models	C360i / C300i / C250i	_	_	✓	✓	✓
Finisher Model	S	FS-540*1,2	FS-540SD*1,2	FS-539*1,2	FS-539SD*1,2	FS-533 ^{*3}
Offset sorting (Shift sort) function	Slightly offsets position of each set of pages when discharged		/	,	/	✓
Stapling functions	Corner Stapling Corner Stapling Two-point Stapling stapling (parallel) '4 (parallel) '4 (side)	Plain (81 max. 60 Plain + / Thick max. 50 Thick (121	(52-80 gsm): 0 sheets -90 gsm): 0 sheets (91-120 gsm): 0 sheets -157 gsm): 0 sheets	max. 5 Plain + / Thick max. 3 Thick (121	(52-90 gsm): 0 sheets (91-120 gsm): 0 sheets -209 gsm): 5 sheets	Thin / Plain (52-90 gsm) A4, B5: max 50 sheets ⁻⁵ A3, B4: max 30 sheets ⁻⁵
Manual stapling) sheets b (90 g/m2))		_
Booklet function & folding functions	Saddle Centre-fold Tri-fold stitching (up to 3 sheets)	_	Max. 20 sheets	-	Max. 20 sheets	_
Z folding function	Z folding	Z folding ui 52-90	nit ZU-609 🔀 gsm	-	_	-
Hole-punching	Two-hole punch Upper two-hole punch	Punc PK-5 Up to 30	526	PK-	ch kit 524 [2] 00 gsm	Punch kit PK-519 🖼 Up to 157 gsm

^{*1} Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. For FS-540 and FS-540SD, a maximum of four in-body paper discharges can be set with Job Separator JS-602 installed.

or standard functions

Post Inserter PI-507

^{*2} Requires Relay Unit. C750i requires Relay Transport Unit RU-519, and C650i/C550i/C450i/C360i/C300i/C250i require Relay Transport Unit RU-513 to be installed. *3 FS-533 requires MK-607 to be installed with C550i and C450i only.

^{*4} FS-540/FS-540D/FS-539/FS-539SD parallel stapling is only supported for A4 portrait, B5 portrait and A5 landscape orientations. However, manual setting is required for A3 and A4 landscape. *5 FS-533 corner stapling is only parallel.



INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco setting and low temperature fusing toner combine to significantly reduce the consumption of energy and paper.

We're also committed to minimising waste throughout the product's lifecycle.

While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste.

bizhub i-SERIES IS AVAILABLE NOW

With intelligent usability, next generation security and seamless connectivity, bizhub i-Series brings together people, places and devices to change the way you work.

bizhub i-Series is tomorrow's workplace today. Discover more at konicaminolta.com.au/home

OPTION DESCRIPTIONS (bizhub C750i)

ENHANCED FEATURES	
LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users.
	Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and
	decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all inco-
	ming and outgoing data
LK-117 FOIP activation*	Fax over IP networks (T.38), requires fax kit
	Available at a later date*
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

OTHERS	
WT-506 Working table	Authentication device placement
WT-519 Working table	Working table for upright panel
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
MEDIA INPUT	
LU-303 Large capacity tray	3,000 sheets, A4, 52–256 g/m ²
LU-205 Large capacity tray	2,500 sheets, A4–SRA3, 52–256 g/m ²
MK-730 Banner tray	Multipage banner feeding
MEDIA OUTPUT	
OT-514 Output tray	Output tray used instead of finisher
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max.
	output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher; 2,700 sheets
	max. output
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-519 Relay unit	For FS-539/SD or FS-540/SD installation
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
IS-602 Job separator for FS-540/SD	Separation of fax output; etc.
Je J p	·
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3 prints

OPTION DESCRIPTIONS (bizhub C650i/C550i/C450i)

ENHANCED FEATURES	
LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users. Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
LK-117 FOIP activation*	Fax over IP networks (T.38), requires fax kit
	Available at a later date*
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board (required for bizhub C450i only)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
OTHERS	
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster Desk	Not compatible with Paper Tray or external Finishing options

MEDIA INPUT	
PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Large capacity tray	2,500 sheets, A4, 52–256 g/m ²
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5–A4, 52–256 g/m ²
LU-302 Large capacity tray	3,000 sheets, A4, 52–256 g/m ²
LU-207 Large capacity tray	2,500 sheets, A4–SRA3, 52–256 g/m ²
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials
MEDIA OUTPUT	
OT-513 Output tray	Output tray used instead of finisher
JS-508 Job separator	Separation of fax output etc. (bizhub C450i/C550i only)
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output (for bizhub C450i/C550i only)
MK-607 Attachment kit	For FS-533 installation (bizhub C450i/C550i only)
PK-519 Punch Kit for FS-533	2/4 hole punching, autoswitching (for bizhub C450i/C550i only)
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher;
	2,700 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD or FS-540/SD installation
JS-602 Job separator for FS-540/SD	Separation of fax output; etc.
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3 prints

OPTION DESCRIPTIONS (bizhub C360i/C300i/C250i)

LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
LK-117 FOIP activation*	Fax over IP networks (T.38), requires fax kit
	Available at a later date*
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board (required for C250i/C300i/C360i)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

OTHERS	
DF-632 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-714 Document feeder	Dualscan automatic document feeder, capacity 100 originals
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
IM-102 Intelligent Media Sensor	Automatic detection of media type
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster Desk	Not compatible with Paper Tray or external Finishing options
MEDIA INPUT	
PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Large capacity tray	2,500 sheets, A4, 52–256 g/m ²
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5–A4, 52–256 g/m ²
LU-302 Large capacity tray	3,000 sheets, A4, 52–256 g/m ²
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials
MEDIA OUTPUT	
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-533 Inner finisher PK-519 Punch kit for FS-533	50 sheets stapling; 500 sheets max. output 2/4 hole punching, autoswitching
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD installation
S-506 ob separator	Separation of fax output: etc.

TECHNICAL SPECIFICATIONS (bizhub C750i)

SYSTEM SPECIFICATIONS	
System speed A4	Up to 75/70 ppm (mono/colour)
System speed A3	Up to 37/35 ppm (mono/colour)
Autoduplex speed A4	Up to 75/70 ppm (mono/colour)
1st page out time A4	2.8/3.8 sec. (mono/colour)
Warm-up time	Approx. 17/18 sec. (mono/colour) ¹
Imaging technology	Laser
Panel size/resolution	10.1" / 1024 x 600
System memory	8 GB (standard/max)
System storage	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 300 originals; A6–A3; 35–210 g/m²; Dualscan ADF
ADF double feed detection	Standard
Printable paper size	A6–SRA3; customized paper sizes,
	banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Paper tray input (standard)	1x 500; A6–A3; custom sizes; 52–256 g/m ²
	1x 500; A5-SRA3; custom sizes; 52-256 g/m ²
	1x 1,500; A5-A4; 52-256 g/m ²
	1x 1,000; A5-A4; 52-256 g/m ²
Large capacity tray (optional)	1x 3,000; A4; 52–256 g/m ²
	1x 2,500; A4–SRA3; custom sizes; 52–256 g/m²
Manual bypass	150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²
Finishing modes (optional)	Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold;
	Letter-fold; Booklet; Post insertion; Z-fold
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Output capacity	Up to 200 sheets / up to 3,300 sheets (standard/max)
Stapling	Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 $\mathrm{g/m^2}$)
Stapling output capacity	Max. 200 sets
Letter fold	Max. 3 sheets
Letter fold capacity	Max. 50 sets; unlimited (without tray)
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m^2)
Booklet output capacity	Max. 35 booklets; unlimited (without tray)
Power consumption	220–240 V / 50/60 Hz; Less than 2.10 kW
System dimension (W x D x H)	615 x 688 x 1207 mm (without options)
System weight	Approx. 160.0 kg (without options)
PRINTER SPECIFICATIONS	
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	
	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);
3,000	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2;
3 ,	
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2;
Printer fonts	Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X
	Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.11 or later; Unix; Linux; Citrix
Printer fonts	Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.11 or later; Unix; Linux; Citrix 80 PCL Latin; 137 PostScript 3 Emulation Latin
Printer fonts	Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.11 or later; Unix; Linux; Citrix 80 PCL Latin; 137 PostScript 3 Emulation Latin AirPrint (iOS); Mopria (Android);

PRINTER SPECIFICATIONS (OPTIONAL)

TRINIERS ECITIONS (OF HOUSE)		
Print controller	Embedded Fiery IC-420	
Controller CPU	AMD GX-424CC @ 2.4 GHz	
Memory/HDD	4 GB / 500 GB	
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c	
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);	
	Windows Server 2008 (32/64); Windows Server 2008 R2;	
	Windows Server 2012; Windows Server 2012 R2;	
	Windows Server 2016; Windows Server 2019;	
	Macintosh OS X 10.11 or later; Linux	

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour)
	Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF,Compact PDF; Encrypted PDF; XPS;
	Compact XPS; PPTX
	optional: Searchable PDF; PDF/A 1a and 1b;
	Searchable DOCX/PPTX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	Max. A3
Magnification	25–400% in 0.1% steps: Auto-zooming

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fay doctinations	2 000 single + 100 groups

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages	
Type of user boxes	Public; Personal (with password or authentication);	
	Group (with authentication)	
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling	

ISO 15408 HCD-PP Common Criteria;
IP filtering and port blocking;
SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support;
IEEE 802.1x support; User authentication; Authentication log;
Secure print; Kerberos; Storage overwrite;
Storage data encryption (AES 256); Confidential fax;
Print user data encryption
Optional: Antivirus realtime scanning (Bitdefender®);
Copy protection (Copy Guard; Password Copy)
Up to 1,000 user accounts;
Active Directory support (user name + password + e-mail + smb folder)
User function access definition;
Authentication by mobile device (Android)
Optional: ID card authentication (ID card reader);
Authentication by mobile device (iOS)
Net Care Device Manager; Data Administrator; Box Operator;
Web Connection; Print Status Notifier; Driver Packaging Utility;
Log Management Utility

 $^{^{\}rm 1}\,\mbox{Warm-up}$ time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems,
- applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
 Specifications and accessories are based on the information available at the time of printing and are subject to change
 - without notice.
 Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

System speed A4 (mono/colour) Up to 65/65 ppm Up to 55/55 ppm Up to 45/45 ppm System speed A3 (mono/colour) Up to 32/32 ppm Up to 27/27 ppm Up to 22/22 ppm Autoduplex speed A4 (mono/colour) Up to 65/65 ppm Up to 55/55 ppm Up to 45/45 ppm 1st page out time A4 (mono/colour) 2.8/3.8 sec. 3.3/4.3 sec. 3.8/5.0 sec. Warm-up time (mono/colour) Approx. 15/17 sec.¹ 14/16 sec.¹ 15/17 sec.¹ Imaging technology Laser 4 15/17 sec.¹ Panel size/resolution 10.1" / 1024 x 600 5 15/17 sec.¹ 15/17 sec.¹ System storage 256 GB SSD (standard/max) 5 5 5 5 5 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 9 <					
System speed A3 (mono/colour) Up to 32/32 ppm Up to 27/27 ppm Up to 22/22 ppm Autoduplex speed A4 (mono/colour) Up to 65/65 ppm Up to 55/55 ppm Up to 45/45 ppm 1st page out time A4 (mono/colour) 2.8/3.8 sec. 3.3/4.3 sec. 3.8/5.0 sec. Warm-up time (mono/colour) Approx. 15/17 sec.¹ 14/16 sec.¹ 15/17 sec.¹ Imaging technology Laser 10.1" / 1024 x 600 System storage 256 GB SSD (standard/max) System storage 256 GB SSD (standard) / 1 TB SSD (optional) 10/100/1,000-Base-T Ethernet; USB 2.0; Wir-Fi 802.11 b/g/n/ac (optional) Wir-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD, IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m², Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max.1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 2,500 sheets; A5-A3;	SYSTEM SPECIFICATIONS	C650i	C550i	C450i	
Autoduplex speed A4 (mono/colour) Up to 65/65 ppm Up to 55/55 ppm Up to 45/45 ppm Ist page out time A4 (mono/colour) 2.8/3.8 sec. 3.3/4.3 sec. 3.3/4.3 sec. 3.8/5.0 sec. Warm-up time (mono/colour) Approx. 15/17 sec.¹ 14/16 sec.¹ 15/17 sec.¹ Imaging technology Laser Panel size/resolution 10.1" / 1024 x 600 System memory 8GB (standard/max) System storage 256 GB SSD (standard) / 1 TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m², Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m² Manual bypass	System speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm	
1st page out time A4 (mono/colour) 2.8/3.8 sec. 3.3/4.3 sec. 3.8/5.0 sec. Warm-up time (mono/colour) Approx. 15/17 sec.¹ 14/16 sec.¹ 15/17 sec.¹ Imaging technology Laser Panel size/resolution 10.1" / 1024 x 600 System memory 8GB (standard/max) System storage 256 GB SSD (standard) / 1 TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max.1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² <	System speed A3 (mono/colour)	Up to 32/32 ppm	Up to 27/27 ppm	Up to 22/22 ppm	
Warm-up time (mono/colour) Approx. 15/17 sec.¹ 14/16 sec.¹ 15/17 sec.¹ Imaging technology Laser Panel size/resolution 10.1" / 1024 x 600 System memory 8GB (standard/max) System storage 256 GB SSD (standard) / 1 TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; 52-256 g/m²	Autoduplex speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm	
Laser	1st page out time A4 (mono/colour)	2.8/3.8 sec.	3.3/4.3 sec.	3.8/5.0 sec.	
Panel size/resolution 10.1" / 1024 x 600 System memory 8GB (standard/max) System storage 256 GB SSD (standard) / 1TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Warm-up time (mono/colour)	Approx. 15/17 sec. ¹	14/16 sec. ¹	15/17 sec. ¹	
System memory 8GB (standard/max) System storage 256 GB SSD (standard) / 1 TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m²	Imaging technology	Laser			
System storage 256 GB SSD (standard) / 1 TB SSD (optional) Interface 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A6-A3; custom sizes; 52-256 g/m² Paper tray input (optional) 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Panel size/resolution	10.1" / 1024 x 600			
Interface	System memory	8GB (standard/max)			
Wi-Fi 802.11 b/g/n/ac (optional) Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max.1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 1x 2,500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² 1x 2,500	System storage	256 GB SSD (standard) / 1 TB SSD	(optional)		
Network protocols TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour	Interface	10/100/1,000-Base-T Ethernet; L	JSB 2.0;		
Automatic document feeder Up to 300 originals; A6-A3; 35-210 g/m²; Dualscan ADF ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² Paper tray input (optional) 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²		Wi-Fi 802.11 b/g/n/ac (optional)			
ADF double feed detection Standard Printable paper size A6-SRA3; customized paper sizes; banner paper max.1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m² Manual bypass	Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IF	PP; SNMP; HTTP(S); Bonjour		
Printable paper size A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Automatic document feeder	Up to 300 originals; A6-A3; 35-2	10 g/m²; Dualscan ADF		
Printable paper weight 52-300 g/m² Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² Paper tray input (optional) 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	ADF double feed detection	Standard			
Paper input capacity 1,150 sheets / 6,650 sheets (standard/max) Paper tray input (standard) 1x 500; A6-A3; custom sizes; 52-256 g/m² 1x 500; A5-SRA3; custom sizes; 52-256 g/m² Paper tray input (optional) 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Printable paper size	A6–SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm			
Paper tray input (standard) 1x 500; A6–A3; custom sizes; 52–256 g/m² 1x 500; A5–SRA3; custom sizes; 52–256 g/m² 2x 500 sheets; A5–A3; 52–256 g/m² 1x 2,500 sheets; A4; 52–256 g/m² 1x 1,500 + 1x 1,000 sheets; A5–A4; 52–256 g/m² 1x 3,000; A4; 52–256 g/m² 1x 3,000; A4; 52–256 g/m² 1x 2,500; A4–SRA3; custom sizes; 52–256 g/m² Manual bypass 150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²	Printable paper weight	52-300 g/m ²			
1x 500; A5–SRA3; custom sizes; 52–256 g/m² 2x 500 sheets; A5–A3; 52–256 g/m² 1x 2,500 sheets; A4; 52–256 g/m² 1x 1,500 + 1x 1,000 sheets; A5–A4; 52–256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52–256 g/m² 1x 2,500; A4–SRA3; custom sizes; 52–256 g/m² Manual bypass 150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²	Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)			
Paper tray input (optional) 2x 500 sheets; A5-A3; 52-256 g/m² 1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Paper tray input (standard)	1x 500; A6–A3; custom sizes; 52–256 g/m ²			
1x 2,500 sheets; A4; 52-256 g/m² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²		1x 500; A5–SRA3; custom sizes; 52–256 g/m ²			
1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity tray (optional) 1x 3,000; A4; 52-256 g/m² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m² Manual bypass 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m²	Paper tray input (optional)	2x 500 sheets; A5–A3; 52–256 g/m²			
Large capacity tray (optional) 1x 3,000; A4; 52–256 g/m² 1x 2,500; A4–SRA3; custom sizes; 52–256 g/m² Manual bypass 150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²		1x 2,500 sheets; A4; 52–256 g/m ²			
1x 2,500; A4–SRA3; custom sizes; 52–256 g/m² Manual bypass 150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²					
Manual bypass 150 sheets; A6–SRA3; custom sizes; banner; 60–300 g/m²	Large capacity tray (optional)	1x 3,000; A4; 52-256 g/m ²			
· · · · · · · · · · · · · · · · · · ·		1x 2,500; A4-SRA3; custom sizes;	; 52–256 g/m ²		
Finishing modes (optional) Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold; Letter-fold; Booklet; Post insertion; Z-fold	Manual bypass	150 sheets; A6–SRA3; custom size	es; banner; 60–300 g/m²		
	Finishing modes (optional)	Offset; Group; Sort; Staple; Staple	e (offline); Punch; Half-fold; Letter-f	old; Booklet; Post insertion; Z-fold	
Automatic duplexing A6-SRA3; 52-256 g/m ²	Automatic duplexing	A6-SRA3; 52-256 g/m ²			
Output capacity Up to 250 sheets / up to 3,300 sheets (standard/max)	Output capacity	Up to 250 sheets / up to 3,300 sh	eets (standard/max)		
Stapling Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m²)	Stapling	Max. 100 sheets or 98 sheets + 2	cover sheets (up to 300 g/m²)		
Stapling output capacity Max. 200 sets	Stapling output capacity				
Letter fold Max. 3 sheets	Letter fold				
Letter fold capacity Max. 50 sets; unlimited (without tray)	Letter fold capacity	Max. 50 sets; unlimited (without	tray)		
Booklet Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m²)	Booklet	Max. 20 sheets or 19 sheets + 1 co	over sheet (up to 300 g/m²)		
Booklet output capacity Max. 35 booklets; unlimited (without tray)	Booklet output capacity	Max. 35 booklets; unlimited (with	nout tray)		
Power consumption 220-240 V / 50/60 Hz; Less than 2.00 kW	Power consumption	220-240 V / 50/60 Hz; Less than	2.00 kW		
System dimension (W x D x H) 615 x 688 x 961 mm (without options)	System dimension (W x D x H)	615 x 688 x 961 mm (without opt	ions)		
System weight Approx. 100.0 kg (without options)	System weight	Approx. 100.0 kg (without option	ns)		

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

PRINTER SPECIFICATIONS	
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64)
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix

Printer fonts 80 PCL Latin; 137 PostScript 3 Emulation Latin Mobile printing AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android);

Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) Optional: WiFi Direct

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420		
Controller CPU	AMD GX-424CC @ 2.4 GHz		
Memory/HDD	4GB / 500 GB		
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c		
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);		
	Windows Server 2008 (32/64); Windows Server 2008 R2;		
	Windows Server 2012; Windows Server 2012 R2;		
	Windows Server 2016; Windows Server 2019;		
	Macintosh OS X 10.10 or later; Linux		

SCANNER SPECIFICATIONS

SOME THE PROPERTY OF THE PROPE	•
Scan speed	Up to 140/140 ipm in simplex (mono/colour)
	Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;
	Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;
	Compact XPS; PPTX
	optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/
	PPTX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25_400% in 0.1% steps: Auto-zooming

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)	
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax	
Fax resolution	Up to 600 x 600 dpi	
Fax compression	MH; MR; MMR; JBIG	
Fax modem	Up to 33.6 Kbps	
Fax destinations	2,000 single + 100 groups	

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages	
Type of user boxes	Public; Personal (with password or authentication);	
	Group (with authentication)	
Type of system boxes	Secure print: Encrypted PDF print: Fax receipt: Fax polling	

SYSTEM FEATURES

SISILMILAIONLS		
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria;	
	IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 network	
	communication; IPsec support; IEEE 802.1x support;	
	User authentication; Authentication log; Secure print; Kerberos;	
	Storage overwrite; Storage data encryption (AES 256);	
	Confidential fax; Print user data encryption	
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®);	
	Copy protection (Copy Guard, Password Copy)	
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name +	
	password + e-mail + smb folder); User function access definition;	
	Authentication by mobile device (Android)	
Accounting Functions (optional)	ID card authentication (ID card reader);	
	Authentication by mobile device (iOS)	
Software	Net Care Device Manager; Data Administrator; Box Operator;	
	Web Connection; Print Status Notifier; Driver Packaging Utility;	
	Log Management Utility	

¹ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems,
- applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

 – Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

 - Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

SYSTEM SPECIFICATIONS	C360i	C300i	C250i		
Panel size/resolution	10.1"/1024x600				
System memory (standard/max)	8 GB				
System storage	256 GB SSD (standard)	/1TB SSD (optional)			
Interface	10/100/1,000-Base-T	Ethernet; USB 2.0;			
	Wi-Fi 802.11 b/g/n (op	otional)			
Network protocols	TCP/IP (IPv4/IPv6); SM	IB; LPD; IPP; SNMP;			
	HTTP(S); AppleTalk; Bo	njour			
Automatic document feeder	Up to 100 originals; A6	i–A3; 35–163 g/m²;			
	RADF or Dualscan ADF	available			
Paper input capacity (standard/max)	1,150 sheets / 6,650 sh	neets			
Paper tray input (standard)	1x 500 sheets; A6-A3;	custom sizes; 52–256 g/m²			
	1x 500 sheets; A5–SRA3; custom sizes; 52–256 g/m²				
Paper tray input (optional)	2x 500 sheets; A5-A3;	52–256 g/m²			
	1x 2,500 sheets; A4; cu	stom sizes; 52–256 g/m²			
	1x 1,500 + 1x 1,000 sh	eets; A5–A4; 52–256 g/m²			
Large capacity tray (optional)	1x 3,000 sheets; A4; cu	stom sizes; 52–256 g/m²			
Manual bypass	150 sheets; A6-SRA3; (Custom sizes; Banner; 60–300 g/m²			
Automatic duplexing	A5-SRA3; 52-256 g/m	2			
Finishing modes (optional)	Offset; Group; Sort; Sta	aple; Punch; Half-fold; Letter-fold; Booklet			
Output capacity (standard)	Max. 250 sheets				
Output Capacity (optional)	Max. 3,300 sheets				
Stapling	Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m²)				
Letter fold capacity	Max. 30 sheets; unlimited (without tray)				
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m²)				
Booklet output capacity	Max. 100 booklets; unl	imited (without tray)			
Power consumption	220-240 V / 50/60 Hz;	Less than 1.58 kW			
System dimension (W x D x H)	615 x 688 x 918 mm (w	vith DF-714)			
System weight	Approx. 96.0 kg (with I	DF-714)			

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

PRINTER SPECIFICATIONS	C360i	C300i	C250i		
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi				
Print Speed A4 (mono/colour)	36/36 ppm 30/30 ppm 25/25 ppm				
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS				
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64);				
	Windows Server 2008 (32/64); Windows Server 2008 R2;				
	Windows Server 2012; Windows Server 2012 R2;				
	Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix				
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin				
Mobile printing					
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);				
	Mobile Authentication and Pairing (iOS/Android)				
	Optional: WiFi Direct				

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	AMD GX-424CC @ 2.4 GHz
Memory/HDD	4 GB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c
SCANNER SPECIFICATIONS	

SCANNER SPECIFICATIONS		
Scan speed (mono/colour)	Up to 100/100 ipm in simplex	
	Up to 200/200 ipm in duplex	
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	
	Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;	
	Scan-to-URL; TWAIN scan	
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF;	
	XPS; Compact XPS; PPTX	
	Optional: Searchable PDF; PDF/A 1a and 1b;	
	Searchable DOCX/PPTX/XLSX	
Scan destinations	2,100 (single + group); LDAP support	

COPIER SPECIFICATIONS

Imaging technology	Laser		
Copy/print speed A4 (mono/colour)	Up to 36/36 ppm		
Copy/print speed A3 (mono/colour)	Up to 18/18 ppm		
Autoduplex Speed A4 (mono/colour)	Up to 36/36 ppm		
1st copy out time A4 (mono/colour)	4.6/6.1 sec.	5.0/6.7 sec.	5.2/6.9 sec.
Warm-up time (mono/colour)	Approx. 12/13 sec.1	Approx. 11/13 sec.1	Approx. 11/13 sec. ¹
Copy resolution	600 x 600 dpi		
Gradation	256 gradations		
Multicopy	1-9,999		
Original format	A6-A3; Custom sizes		·
Magnification	25-400% in 0.1% ste	ps; Auto-zooming	

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)

USER BOX SPECIFICATIONS

OSER DON SI ECII ICATIONS	
Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication);
	Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling
SYSTEM FEATURES	
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria; IP filtering and port
	blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Authentication log; Secure print; Kerberos;
	SSD self-encrypting (AES 256); Memory data auto deletion;
	Confidential fax receipt; Print user data encryption
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®);
	Copy protection (Copy Guard, Password Copy)
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name
	password + e-mail + smb folder); User function access definition
Accounting Functions (optional)	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	PageScope Net Care Device Manager; PageScope Data
	Administrator; PageScope Box Operator; PageScope Web
	Connection; Print Status Notifier; Driver Packaging Utility;
	Log Management Utility

 $^{^{\}rm 1}\,$ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular
- The Stated line expectancy of each consumable is based on specific operating continuous such as page coverage for A particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
 Some of the product illustrations contain optional accessories.
 Specifications and accessories are based on the information available at the time of printing and are subject to change
- without notice.

 Konica Minolta does not warrant that any specifications mentioned will be error-free.

 All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby



NEW SOUTH WALES

Konica Minolta House 4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

ACT

Level 2, Suite 2.03 42 Macquarie Street Barton ACT 2600 (02) 6206 6500

QUEENSLAND

Level 9, 100 Skyring Terrace Newstead QLD 4006 (07) 3872 9100

SOUTH AUSTRALIA

Level 8, 18 Victoria Square Adelaide SA 5000 (08) 8110 3201

VICTORIA

Level 2, 441 St Kilda Road Melbourne VIC 3004 (03) 8699 0777

WESTERN AUSTRALIA

66 Kings Park Road West Perth WA 6005 (08) 6272 9300

Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au/home



























