





# BUILD YOUR BRIDGE TO SUCCESS RETHINK VERSATILITY



Giving Shape to Ideas

# HAVE IT ALL WITH ONE PRESS RETHINK THE FUTURE OF DIGITAL PRINT

Imagine having just a single press that is good for everything: 2-sided banner printing, professional inline finishing, high productivity, real-time automated quality adjustments, excellent print quality, and so much more. That's the AccurioPress C4080 series for you: our agile production colour press with features that enable you to expand your business into new markets and develop new revenue streams.

## **Exceptional quality, every print**

The AccurioPress C4080 series can be equipped with our exclusive optional Intelligent Quality Optimiser, IQ-501. The IQ-501 will allow you to wow your customers time and time again with stunning consistent colour prints, time and time again.

### **Grow your business**

The AccurioPress C4080 series can expand your business with new capabilities. These systems offer the widest media variety in the market segment, from thin to thick paper, embossed paper, envelopes, and much more. All supported by our new optional media sensor to guarantee worry-free operation.

### A single engine does it all

The AccurioPress C4080 series is a fully configured press that can help you expand your business. You can print flat sheets, duplex long sheets of up to 864 mm, or directly finish prints inline with our extensive choice of finishing options to meet your just about any print requirement with one integrated production process.

## **Boost efficiency**

Operators of any AccurioPress system can count on simple setup, an ultra-reliable paper path, exceptional productivity, and outstanding automated image stability. Our R&D Team has given highest priority to fulfilling today's high demands in the printing industry. What's more, the AccurioPress system seamlessly integrates into various software applications from our portfolio that will make your business more efficient.



# AUTOMATE FULL-BLEED OUTPUT WITH THE UNIQUE TU-510 TRIMMER\*

Experience fully finished output with the new TU-510 inline trimmer. This finisher provides inline slitting and trimming to output finished documents ready for boxing and shipping. The TU-510 has options for inline Creasing, Business Cards and Perforation. Plus, the TU-510 has an option to deliver fully trimmed and creased long sheets of up to 1300 mm to the output tray to realise a high-level integrated workflow.

# INCREASE OPPORTUNITIES FOR BUSINESS EXPANSION

- Automate workflow to reduce labour costs and eliminate unnecessary touches
- Produce full-bleed output ready to box
- Automate common print jobs such as business cards, postcards and marketing materials
- · Maximise output by printing multi-up on larger sheets
- Integrate with other inline finishers to produce full-bleed saddle stitch, perfect bound, and wire bound output all in the time it takes to print

# NOW FULL-BLEED OUTPUT IS FINALLY POSSIBLE

This new finisher offers advanced automation to deliver fully trimmed, full-bleed brochures, flyers, postcards, business cards, and more directly to the output tray. This new trimmer creates sophisticated, professional documents ready for delivery to your customer in the time it takes to print them. This is the industry's first inline trimmer and is compatible with the new AccurioPress series of digital presses.





# **INNOVATE PRINT** RETHINK TECHNOLOGY

The innovative Intelligent Quality Optimiser, IQ-501 option takes consistency and registration accuracy to a new level. The IQ-501 provides extensive automation for image position and registration as well as colour control. This is made possible with our proprietary closed-loop quality control system that checks and corrects printed output. Automation provided by the IQ-501 also extends to colour calibration and profiling – all designed to reduce operator time and print wastage while increasing productivity.



# YOUR ADVANTAGES WITH THE AccurioPress C4080/C4070 RETHINK PRODUCTION PRINTING

## **DURABLE PERFORMANCE**

### AccurioPress C4080

- Up to 81 (A4) colour pages per minute
- Up to 45 (A3) colour pages per minute

## AccurioPress C4070

- Up to 71 (A4) colour pages per minute
- Up to 39 (A3) colour pages per minute
- **READY-MADE PRINT PRODUCTS**
- 50-sheet booklet making with front trimming and optional creasing, slitting, and spine corner forming
- Perfect binding for books of up to 300 pages
- 100-sheet stapling with cutting mechanism
- Automated inline business card and postcard cutting
- Full bleed banners and posters
- Inline full-bleed trimming with options for creasing, perforation, business cards, and long sheets

# **SIMPLY EFFICIENT**

- Automated engine linearisation
- Automated duplex registration
- Automated profiling
- Real-time adjustments
- Purge function

## **HIGHEST RELIABILITY**

- Long-life platform, long-lasting parts and consumables
- Accurate front-to-back registration
- Fusing-rolling mechanism

# **HIGH-END PRINT CONTROL**

- Flexible choice of controller technology; Konica Minolta controller, EFI<sup>®</sup> and Creo
- Integration into hybrid workflows

## **EASE OF USE**

- Automated real-time engine calibration
- Simple paper catalogue settings
- Open API/IWS support

## SOPHISTICATED MEDIA HANDLING

- Air suction or air-assisted paper feeding technology
- Up to 11 paper trays
- Long sheet printing of up to 1300 mm (simplex), 864 mm (duplex)

## **PERFECT IMAGE QUALITY**

- S.E.A.D. X technology and 3,600 x 2,400 dpi x 8-bit resolution
- Simitri HDe toner technology
- Image density control technology

## **COMPREHENSIVE MEDIA PROCESSING**

- Up to 360 gsm paper weight in simplex and duplex
- Optional media sensor senses paper weight and type
- Envelope printing with standard fuser

# **SPECIFICATIONS AND OPTIONS RETHINK THE NEEDS**

#### SYSTEM SPECIFICATIONS

010120101200110	
Resolution	3,600 x 2,400 dpi x 8 bit
Paper weight	62 - 360 gsm
Paper sizes	330 x 488 mm
	330 x 864 mm (max. duplex)
	330 x 1300 mm (max. simplex)
Paper input	Max.: 15,390 sheets
Dimension (WxDxH)	800 mm x 852 mm x 1080 mm
Unit weight	316 kgs

#### PRODUCTIVITY

AccurioPress C4080		
A4 – max. per minute	81 ppm	
A3 – max. per minute	45 ppm	
SRA3 – max. per minute	39 ppm	
AccurioPress C4070		
A4 – max. per minute	71 ppm	
A3 – max. per minute	39 ppm	
SRA3 – max. per minute	36 ppm	

#### KONICA MINOLTA IMAGE CONTROLLER IC-609

Architecture	Internal
OS	Linux
CPU	Intel Core i5 6500
Clock speed	3.2 GHz
RAM std	16 GB
HDD	2 TB (2 x 1TB)
Page-description language	Adobe® PostScript® 3; PDF v1.7; APPE v4.6 (with UK-220); TIFF (v6); PPML v2.2
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11-14

#### FIERY IMAGE CONTROLLER IC-317

Architecture	External	
OS	Windows 10	
CPU	Intel® CoreTM I5-6500 processor	
Clock speed	3.2 GHz up to 3.6 GHz Turbo	
RAM std	8 GB	
HDD	1 TB	
Page-description language	Adobe <sup>®</sup> PostScript <sup>®</sup> Levels 1, 2, 3, APPE 5, PDF/X-1a, 3, and 4, EPS, Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders), JPEG, 1-bit TFF, TIFF (optional via Graphic Arts Pro Package), Fiery FreeForm™ Plus, PPML v3.0, PDF/VT 1 & 2, Creo VPS	
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11-14	

#### FIERY IMAGE CONTROLLER IC-419

Architecture	Internal	
OS	Linux	
CPU	Intel <sup>®</sup> Pentium <sup>®</sup> Processor G4400	
Clock speed	3.3 GHz	
RAM std	8 GB	
HDD	500 GB	
Page-description language	Adobe <sup>®</sup> PostScript <sup>®</sup> Levels 1, 2, 3, APPE 5, Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders)	
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14	

- All specifications refer to A4-size paper of 80 gsm quality.

- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page

size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity. – Some of the product illustrations contain optional accessories.

- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice. - Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.

- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

CREO CONTROLLER IC-316E		
Architecture	External	<u></u>
OS CPU	Windows 10 IOT LTSC Intel Core i7-8700	
Clock speed	4.6 GHz	4.6 GHz
RAM	20 GB Total	20 GB
HDD	4 x 2 TB	TB
Page-description language	Adobe <sup>®</sup> PostScript <sup>®</sup>	
	Adobe PDF (versions	
	1.7, PDFX-1a,3 and 4), EPS, Creo VPS,	
	PPML, PPML.zip, PPM	
	VT—PDF/VT1 and PDI	
	XPS, AFP—part of the	Trans Pack, JPEG,
	TIFF—supports TIFF 6	.0 files saved with 6.0 file
	sliced internal data	
Applicable OS	Windows 7/8.1, Wind	dows 10, Windows
	Server 2012 / 2016/2	2019, M <b>&amp;erQ&amp;</b> r 2012 / 2016/2019,
	10.2-10.15/11	
OPTIONS		
KM Image Controller	IC-609	IC-609
EFI external Controller	IC-317	
EFI internal Controller	IC-419	
Creo Controller	IC-316e	IC-316e
Paper Feeding Unit	PF-602m	-602m
Dehumidifier heater	HT-504	
Paper feeding unit	PF-707m	
Dehumidifier heater	HT-506	-506
PFU connection Kit	FA-502	
Large capacity feeding unit	LU-202m	
Dehumidifier heater	HT-503	
Envelope printing guide	MK-746	-746
Large capacity feeding unit (banner)	LU-202XLm	
Multi bypass feeding	MB-508	MB-508
Banner Paper Feeder kit Banner	MK-760	-760
Multi bypass tray	MB-509	MB-509
Intelligent Media Sensor	IM-101	
Output Tray	OT-511	
Relay Unit	RU-518m	
Humidifier	HM-103	
Intelligent Quality Optimiser	IQ-501	
Purge Unit	RU-702	
Auto Inspection Unit	UK-301	
Envelop Fusing Unit	EF-107	
Long Sheet Kit (Output)	MK-761	-761
Trimmer Unit	TU-510	
Creasing kit (Downwards)	CR-102	
Creasing kit (Upwards)	CR-103	
Center Slit kit	TU-504	
CD Perforation kit	PE-102	
FD Perforation kit	PE-103	
Banner paper kit Banner paper kit	MK-764	-764
Business Card kit Business Ca	JS-507	
Folding and Punching Unit	FD-503	
Stacking Unit	LS-507	
Handcart	LC-502	
Booklet Making Unit Booklet Making Unit	SD-506	SD-506
Booklet Making Unit Booklet Making Unit	SD-513	
Square Folding Kit	FD-504	
Slitter Kit	TU-503	
Creaser Kit	CR-101	
Perfect Binding Unit erfect Binding Unit	PB-503	PB-503
	FS-532m	
Stapling Unit	SD-510	
Stapling Unit Saddle Stitcher Kit	30 310	
	PK-525	
Saddle Stitcher Kit		
Saddle Stitcher Kit Punch Kit	PK-525	

# **STATE-OF-THE-ART PRINT SERVERS** RETHINK YOUR USER EXPERIENCE

# THE IC-609 KONICA MINOLTA CONTROLLER

The Konica Minolta IC-609 print controller brings powerful workflow benefits – including 2,400 dpi printing at full rated engine speed, high-speed RIP processing, enhanced accuracy in colour reproduction, colour management functions, and full compatibility with print engine on-board job control and editing functions.

# THE IC-317 FIERY IMAGE CONTROLLER

Providing advanced job management and workflow automation, the Fiery<sup>®</sup> IC-317 reduces labour costs, cuts turnaround times, and minimises errors as well as waste. The instant visual preview and advanced make ready capabilities streamline job layouts. Support of industry-leading variable data printing (VDP) formats facilitates the profitable production of personalised short-run jobs.

## THE IC-419 EMBEDDED FIERY IMAGE CONTROLLER

As the embedded Fiery<sup>®</sup> controller alternative, the IC-419 offers a combination of affordability, versatile colour management, and PCL support plus a wide range of security features. It helps improve the ease of use of AccurioPress systems, and simplifies workflows so that our digital colour presses deliver truly professional print results, making any configuration an ideal business solution for your printing facilities.

# **THE IC-316E CREO CONTROLLER**

The Creo IC-316e external print controller eliminates the need to re-rip when changing print order, imposition and simple colour adjustments. It is the ideal choice for variable data printing and hybrid prepress workflows. Beyond that, the Creo features advanced spot colour profiling, a complete Pantone GOE library, Remote Site Manager status tracking, JDF connectivity, Creo job ticketing software, and much more.



# MADE FOR YOUR BUSINESS RETHINK WHAT'S POSSIBLE

### **Commercial Printers**

The AccurioPress C4080 series supports you in growing your business and getting the most out of your investment. Its high speed, high productivity, and high uptime help you achieve shortest turnaround times, while the great media flexibility with stocks of up to 360 gsm, long sheets of up to 1300mm, envelopes, and structured media will further enhance the variety of our print offerings. Colour quality issues are a thing of the past as the AccurioPress C4080 includes numerous auto control and adjustment features. What's more, an inspection system can be applied to make sure only impeccable prints leave your shop.

## **In-house Print Rooms**

The AccurioPress C4080 series provides the highest degree of automation and produces quality on the highest level. With its professional inline finishing, you can create ready-made products at the push of a button; and the optional Intelligent Quality Optimiser IQ-501 makes sure that the print quality is automatically set, monitored, and continuously corrected. The versatile media flexibility and high productivity make the AccurioPress C4080 series a solid and lucrative investment for the future.

# TAKE THE LEAD AND SHOW RESPONSIBILITY RETHINK TOMORROW'S BUSINESS


### **Sustainability**

Konica Minolta is committed to sustainable development and factors environmental and social perspectives into its business strategies. In choosing Konica Minolta you can be assured our products will support your green strategy.

Konica Minolta strives to reduce CO<sub>2</sub> emissions during product manufacture, product distribution, at the sales stage, and during product use – with even stricter targets than demanded by the Kyoto Protocol.

Enabling carbon neutrality, Konica Minolta proposes to its customers the offset of unavoidable CO<sub>2</sub> emissions for production printing. Together with the experts from Climate Partner, we offer a new and profound concept for professional production devices.





## PARTNERSHIP

At Konica Minolta we look forward to partnering with you to deliver a solution that can ignite possibilities with print in your business.

## **NEW SOUTH WALES**

Konica Minolta House 4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

## ACT

1/55 Wentworth Avenue Kingston ACT 2604 (02) 6206 6500

## QUEENSLAND

Level 9, 100 Skyring Terrace Newstead QLD 4006 (07) 3872 9100

## **SOUTH AUSTRALIA**

L1 84 Greenhill Road Wayville SA 5034 (08) 8231 2911

## VICTORIA

Level 5, 441 St Kilda Road Melbourne VIC 3004 (03) 8699 0777

## **WESTERN AUSTRALIA**

66 Kings Park Road West Perth WA 6005 (08) 6380 3700 Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au/home